



MA-303c Single Channel Wired PA System

Ultra Light, Ultra Compact, Ultra Portable, Siren, Battery Level Indicator



Product Features:

- Powerful 60-watt for loud, clear sound projection
- Ultra light, ultra compact, powerful multi-function Portable Wired PA System
- Weighs only 2.7kg (6 lbs)
- 5-inch woofer and 1-inch tweeter
- Frequency response 50Hz – 18KHz
- Comes with one wired microphone
- Built-in alarm siren provides emergency warnings.
- High efficiency class-D amplifier drives two-way loudspeaker with level limiter
- 2 power modes: AC and lithium rechargeable battery.
- Up to 10 hours of stand-by time per 4-hour full charge (automatic charging management)
- 4 LEDs array indicator for battery levels and charging status
- 3.5 mm line-in accepts external MP3, iPod or CD player
- 3.5mm line-output for external recording or for connecting to line input on another sound device

MA-303c Single Channel Wired PA System

Ultra Light, Ultra Compact, Ultra Portable, Siren, Battery Level Indicator

Specifications:

Portable PA

| | |
|---------------------------|---|
| Power Output | 60W (Max) |
| Amplifier | Class D |
| T.H.D. | <1% |
| Frequency Response | 50Hz~18KHz |
| Loudspeaker | 1" Tweeter & 5" Woofer |
| Audio Inputs | Wired: 6.3mm (1/4") MM-107 microphone Line-In: 3.5mm (1/8") |
| Audio Output | 3.5mm (1/8") |
| Installation | Microphone stand, table mounted |
| Power Supply | AC: External 100-240V AC switching power supply DC & Battery: 14.8V/2.6AH rechargeable lithium battery |
| Charge Time | Up to 4 hours (automatic charging management) |
| Stand-by Time | Up to 10 hours |
| Battery Indicator | 4-level Battery Meter |
| Color | Black |
| Dimensions | 210(W)×276(H)×165(D)mm / 8.3(W)×11(H)×6.5(D)" |
| Weight (battery included) | Approx. 2.7kg / 6lbs |
| Transmitter | MM-107 Wired Microphone |

Audio Player

| | |
|-----------------------|--|
| Built-in 2.0 USB Port | N/A |
| Play & Record | N/A |
| Patents & Approvals | Patented. Telecom and safety regulations approved. |

Notes Refer to actual product in the event of product discrepancy.
Frequency range, max. deviation, RF output power and spurious emission to comply with regulations of different countries.

Matching Transmitter:



MM-107 Wired Handheld Microphone